

Addiction **DATA COLLECTION REFERENCE GUIDE**

Version 1.0.0 Published: June 29th, 2020





We are thrilled that you are interested in measuring outcomes for your patients with addiction according to ICHOM standards. It is our hope that this Reference Guide will facilitate the process of implementing our Standard Set and ensure collection of comparable data for global benchmarking and learning.

© 2020 ICHOM. All rights reserved. When using this set of outcomes, or quoting therefrom, in any way, we solely require that you always make a reference to ICHOM as the source so that this organization can continue its work to define more standard outcome sets. Please cite as follows: ICHOM Addiction, June 2020, available at: https://www.ichom.org/portfolio/addiction/.

Introducing ICHOM and the Reference Guide

ICHOM brings together patient representatives, clinician leaders, and registry leaders from all over the world to develop Standard Sets, comprehensive yet parsimonious sets of outcomes and case-mix variables we recommend all providers track.

Each Standard Set focuses on patient-centered results and provides an internationally-agreed upon method for measuring each of these outcomes. We do this because we believe that standardized outcomes measurement will open up new possibilities to compare performance globally, allow clinicians to learn from each other, and rapidly improve the care we provide our patients.

Our Standard Sets include initial conditions and risk factors to enable meaningful case-mix adjustment globally, ensuring that comparisons of outcomes will take into account the differences in patient populations across not just providers, but also countries and regions. A comprehensive data dictionary, as well as scoring guides for patient-reported outcomes, is included in the appendix.

Our aim is to make Standard Sets freely accessible to healthcare institutions worldwide to begin measuring, and ultimately benchmark the outcomes they achieve. In order to have a guide from which we can benchmark outcomes, we require feedback from initial implementation efforts. As such, this Reference Guide may undergo revisions on a regular basis. If you have any suggestions or would like to provide feedback, please contact info@ichom.org.

Working Group Members for Addiction

The following individuals dedicated both time and expertise to develop the ICHOM Standard Set for Addiction in partnership with ICHOM, under the leadership of Professor Michael Farrell, ICHOM Standard Set Chair. The work was supported by Nicola Black, ICHOM Research Fellow, Sophie Chung, ICHOM Programme Manager, Luz Souse Fialho, ICHOM Project Manager, and Timea Gintner, ICHOM Research Associate.

Australia	India	Spain	Gillian W. Shorter
Alexander Blaszczynski	Abhijit Nadkarni	Marta Torrens	Henrietta Bowden-Jones
Lynette Murphy			Joanne Neale
Nicholas Lintzeris	Netherlands	Thailand	
Peter J. Kelly	Wim van den Brink	Apinun Aramrattana	United States
Suzie Hudson		Sawitri	Daniel Rosen
	Portugal	Assanangkornchai	Linda B. Cottler
Canada	Marica Ferri		Maury Elsasser
Brian Rush		United Kingdom	Qiana L. Brown
	South Africa	Adrian Brown	Ralitza Gueorguieva
Germany	Maria Florence	Christopher Wait	Ryan Hampton
Hans-Jürgen Rumpf		Gabriel Segal	

Supporting Organizations

The Addiction Standard Set is made possible only through the support of the following organizations.

Thank You.







Scope of Addiction Standard Set

For Addiction, the following conditions and treatment approaches (or interventions) are covered by our Standard Set.

Conditions	Substance Use Disorder relating to all ICD-11 substances except caffeine Gambling Disorder Gaming Disorder	
Populations	Adults aged 18 years and above and adolescents aged 12-17 years	
Treatment approaches	All treatment settings and modalities	
Excluded population	Children below 12 years	
Excluded conditions	Substance Use Disorder relating to caffeine Single episode of harmful use Intoxication Induced delirium Induced psychosis	

ICHOM Standard Set for Addiction

Case-Mix Variables


Pemographic factors Year of birth Sex Sex at birth. Gender identity N/A Sexual orientation N/A Adults – highest level of education completed. Adolescents – proxy to be used: highest level of education completed by parents. Work / Education status N/A Housing status N/A Living arrangements Ethnic minority / Marginalisation Clinical factors All patients All patients Peaseline; Transition to adult services; Annually if still in education completed by parents. Physical Services; Annually if still in education completed by parents. N/A Baseline; Annually if still in education completed by parents. N/A Baseline; Annually if still in education completed by parents. N/A Baseline; Annually Clinical factors All patients All patients Adverse life annualis at the Primary Care PTSD Screen for DSM-5 (PC-PTSD-5). The scoring guide	Data Source
Sex Sex at birth. Gender identity N/A Sexual orientation N/A Adults – highest level of education completed. Adolescents – proxy to be used: highest level of education completed by parents. Work / Education status N/A Housing status N/A Living arrangements Ethnic minority / Marginalisation Clinical factors All patients Adverse life Adverse l	
All patients Adults – highest level of education completed. Adolescents – proxy to be used: highest level of education completed by parents. Work / Education status N/A Housing status N/A Living arrangements Ethnic minority / Marginalisation Clinical factors Baseline; Transition to adult services; Annually if still in education N/A Baseline; Annually if still in education N/A Baseline; Annually if still in education N/A Baseline; Annually if still in education N/A Comorbidition N/A Baseline; Annually if still in education N/A Baseline; Annually if still in education Baseline; Annually if still in education N/A Baseline; Annually if still in education Baseline; Annually if st	
Status Housing status Living arrangements Ethnic minority / Marginalisation Clinical factors Comorbidities Paseline	Patient- reported
Annually Living arrangements Ethnic minority / Marginalisation Clinical factors Based upon the Self-administered Comorbidities Comorbidity Questionnaire (Sangha et al, 2003) Baseline – number of lifetime hospitalisations related to the target condition. Annually – number of hospitalisations related to the target condition in the past 12 months. Adverse life Adverse life Tracked via the Primary Care PTSD Screen Annually Annually	
Living arrangements Ethnic minority / Marginalisation Clinical factors Based upon the Self-administered Comorbidities Comorbidities Comorbidities Based upon the Self-administered (Sangha et al, 2003) Baseline – number of lifetime hospitalisations related to the target condition. Annually – number of hospitalisations related to the target condition in the past 12 months. Adverse life Adverse life N/A Baseline Baseline; Annually Tracked via the Primary Care PTSD Screen	
Clinical factors Based upon the Self-administered Comorbidities Comorbidity Questionnaire (Sangha et al, 2003) Baseline – number of lifetime hospitalisations related to the target condition. Annually – number of hospitalisations related to the target condition in the past 12 months. Adverse life Adverse life Adverse life Adverse life Baseline Baseline Baseline Tracked via the Primary Care PTSD Screen	
All patients Based upon the Self-administered Comorbidities Comorbidity Questionnaire (Sangha et al, 2003) Baseline – number of lifetime hospitalisations related to the target condition. Annually – number of hospitalisations related to the target condition in the past 12 months. Adversa life Adversa life Tracked via the Primary Care PTSD Screen	
All patients Comorbidities Comorbidity Questionnaire (Sangha et al, 2003) Baseline – number of lifetime hospitalisations related to the target condition. Annually – number of hospitalisations related to the target condition in the past 12 months. Adverse life Adverse life Comorbidity Questionnaire (Sangha et al, 2003) Baseline – number of lifetime hospitalisations related to the target condition in the past 12 months. Tracked via the Primary Care PTSD Screen	
All patients Hospitalisations Hospitalisations Hospitalisations Annually – number of hospitalisations related to the target condition in the past 12 months. Adverse life Tracked via the Primary Care PTSD Screen	Patient- reported
	Administrative data
experiences may be found at the same link.	Patient- reported
Intervention factors	
All patients Intervention	Clinical

Outcomes

Patient Population	Outcome	Supporting Information	Timing	Data Source
Severity of Depende	ence			
All patients	Symptoms	Severity of symptoms of substance use disorder, or gambling or gaming disorder. The degree of severity of dependence or duration of symptoms associated with the cessation or reduction in use of a substance or in a behaviour. Symptoms may be specific to the behaviour in question.	Baseline; Ongoing; Annually after discharge for two years	Patient- reported
	Frequency and Quantity of Activity	For alcohol, smoking and drugs this refers to frequency and quantity of use. For gambling and gaming this refers to frequency and quantity of activity.		
Global Functioning a	and Quality of Life			
All patients	Mental Functioning	Successful performance of the mental function resulting in productive activities, fulfilling relationships with other people, and providing the ability to adapt to change and cope with adversity.	Baseline; Ongoing; Annually after discharge for two years	Patient- reported
	Physical Functioning	The individual's own evaluation of his or her health, obtaining information on the overall health of people, capturing subjective aspects that cannot be measured using health parameters considered objective. Physical health can be defined as a state of well-being when all internal and external body parts, organs, tissues and cells can function properly as they are supposed to function.		
	Social Functioning	An individual's interactions with their environment and their ability to fulfil their role within such environments as work, social activities and relationships with partners and families.		

Follow-Up Algorithm

The following algorithm illustrates when Standard Set variables should be collected from patients and clinicians.



Collecting Patient-Reported Outcome Measures

Addiction Surveys Used	Licensing Information	Scoring Information
PROMIS Short Form v1.0 - Alcohol Use 7a (PROMIS-Alcohol)	Free to use. All English and Spanish PROMIS measures are publicly available here for use in one's individual research, clinical practice, educational assessment, or other application without licensing or royalty fees. Commercial users must seek permission to use, reproduce, or distribute measures. Integration into proprietary technology requires written permission.	The scoring guide may be found at the same link.
PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 Days) 7a (PROMIS-Substance)	Free to use. All English and Spanish PROMIS measures are publicly available here for use in one's individual research, clinical practice, educational assessment, or other application without licensing or royalty fees. Commercial users must seek permission to use, reproduce, or distribute measures. Integration into proprietary technology requires written permission.	The scoring guide may be found at the same link.
PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All Smokers 8a (PROMIS-Smoking)	Free to use. All English and Spanish PROMIS measures are publicly available here for use in one's individual research, clinical practice, educational assessment, or other application without licensing or royalty fees. Commercial users must seek permission to use, reproduce, or distribute measures. Integration into proprietary technology requires written permission.	The scoring guide may be found at the same link.
Heaviness of Smoking Index (HSI)	Free to use. Measure available here.	The scoring guide may be found at the same link.
Problem Gambling Severity Index (PGSI)	Free to use. Measure available on request from author: Harold Wynne (hwynne@wynne.com). Find the Canadian Problem Gambling Index's Final Report here. User's manual: Ferris, J., & Wynne, H. J. (2001). The Canadian Problem Gambling Index: Users manual. Ottawa: Canadian Centre on Substance Abuse.	The scoring guide may be found here.
Ten-Item Internet Gaming Disorder Test (IGDT-10)	Free to use. Measure available here.	The scoring guide may be found at the same link.
NHS Treatment Outcomes Profile for Substance Misuse - Section 1 (TOP- S1)*	Free to use. Measure available here. The additional questions suggested by the Addiction Working Group to Section 1 is included in this reference guide.	The scoring guide of the original version may be found at the same link. The scoring guide of the additional questions is included in this reference guide

^{* 14} additional questions are proposed to be used with this measure, please see them in the appendix.

Addiction Surveys Used	Licensing Information	Scoring Information
WHO Disability Assessment Schedule 2.0 – 12-item version (WHODAS12)	Complete the online <u>User Agreement Form</u> to use it. <u>Submit a request</u> to license it. To translate, complete the <u>Form for requesting</u> permission to reproduce, reprint or translate <u>WHO copyrighted material</u> . More information at https://www.who.int/about/who-we-are/publishing-policies/copyright	The scoring guide may be found here.
PROMIS Scale v1.2 - Global Health (PROMIS-GH-10)*	Free to use. All English and Spanish PROMIS measures are publicly available here for use in one's individual research, clinical practice, educational assessment, or other application without licensing or royalty fees. Commercial users must seek permission to use, reproduce, or distribute measures. Integration into proprietary technology requires written permission.	The scoring guide may be found at the same link.
KIDSCREEN-10 Index (KIDSCREEN10)	For funded and non-funded academic research and non-commercial organisation research and evaluation studies (public and national organisations, hospitals, healthcare centres etc.), no additional fees for usage. To use and/or translate complete this Collaboration Form.	The scoring guide may be found here.
Substance Use Recovery Evaluator (SURE)	Any redistribution or reproduction of part or all of the contents of the SURE in any form is prohibited other than the following: a) you may print or download to a local hard disk extracts for your personal and non-commercial use only; b) you may copy the content to individual third parties for their personal use, but only if you acknowledge the source of the material; c) use within not-for-profit charities or health care settings does not require a licence. Measure available here. You may not, except with express written permission from King's College London, distribute or commercially exploit the content. Nor may you transmit it or store it by electronic means or otherwise, without the written permission of King's College London as it will constitute an infringement of copyright. If you wish to obtain a commercial copyright licence for this measure, then please contact King's College London's IP & Licensing Team: licensing@kcl.ac.uk.	The scoring guide may be found at the same link.

^{*} Only question 3 and 4 are proposed to be used with the WHODAS 2.0 – 12-item version as additional items to ensure full coverage of the outcomes.

The Growing ICHOM Community




International Consortium for Health Outcomes Measurement

There is a growing community of healthcare providers implementing the ICHOM Standard Sets. To support your organization in implementing the set and the measurement of outcomes data, we have outlined a framework to guide the implementation and reporting of patient-centered outcomes. For further information or to enquire about Implementation support offered by ICHOM, please contact the Implementation team: info@ichom.org.

Implementation framework:

The framework below, outlines the structured process to guide the implementation of an ICHOM Standard Set at your organization. Typically, an implementation project takes 9 months to complete.



ICHOM is also able to support organizations with a variety of support models:

- 1. Capacity building direct advisory support
- 2. Community models supporting a community of providers in outcomes adoption and innovation
- 3. Education workshops and short courses regarding Value Based Healthcare and implementation skills



Translating the Set Tools:

PROMs within the ICHOM Sets are available in a number of languages. To check the availability of translations, we advise contacting the Tool authors directly to obtain and translate the PROM surveys into your desired language. To independently translate PROM surveys, we recommend following the ten steps outlined below:*1

Step 1	Preparation	Initial work carried out before the translation work begins
Step 2	Forward Translation	Translation of the original language, also called source, version of the instrument into another language, often called the target language
Step 3	Reconciliation	Comparing and merging more than one forward translation into a single forward translation
Step 4	Back Translation	Translation of the new language version back into the original language
Step 5	Back Translation Review	Comparison of the back-translated versions of the instrument with the original to highlight and investigate discrepancies between the original and the reconciled translation, which is then revised in the process of resolving the issues
Step 6	Harmonization	Comparison of back translations of multiple language versions with each other and the original instrument to highlight discrepancies between the original and its derivative translations, as well as to achieve a consistent approach to translation problems
Step 7	Cognitive Debriefing	Testing the instrument on a small group of relevant patients or lay people in order to test alternative wording and to check understandability, interpretation, and cultural relevance of the translation
Step 8	Review of Cognitive Debriefing Results and Finalization	Comparison of the patients' or lay persons' interpretation of the translation with the original version to highlight and amend discrepancies
Step 9	Proofreading	Final review of the translation to highlight and correct any typographic, grammatical or other errors
Step 10	Final Report	Report written at the end of the process documenting the development of each translation

^{*}These ten steps follow the ISPOR Principles of Good Practice: The Cross-Cultural Adaptation Process for Patient-Reported Outcomes Measures.

¹Wild, D., Grove, A., Martin, M., Eremenco, S., McElroy, S., Verjee-Lorenz, A., et al. (2005). Principles of good practice for the translation and cultural adaptation process for patient-reported outcomes (PRO) measures: Report of the ISPOR task force for translation and cultural adaptation. Value in Health, 8(2), 94–104. doi:10.1111/j.1524-4733.2005.04054.x.

Appendix

Introduction to the Data Dictionary

This data dictionary is designed to help you measure the ICHOM Addiction Standard Set as consistently as possible to the Working Group recommendation. ICHOM is actively preparing for benchmarking efforts based on this data, and all data submitted for comparisons will need to be transformed into the following data structure if not already structured as such. We are happy to provide an Excel version of this data dictionary for technical use.

Please timestamp all variables. Some Standard Set variables are collected at multiple timepoints, and we will ask you to submit these variables in a concatenated VARIABLEID_TIMESTAMP form for future analyses. For example, VARIABLEID_BASE (baseline); VARIABLEID_6MO (6-month follow-up); VARIABLEID_1YR (1-year follow-up), etc.

Case-Mix Variables

Demographic Factors

Variable ID: YEAROFBIRTH
Variable: Year of birth
Definition: Year of birth

Display Value: In what year were you born?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Data Source: Patient-reported

Type: Date

Response Options: YYYY

Variable ID: SEX
Variable: Sex

Definition: The patient's sex at birth.

Display Value: Please indicate your sex at birth.

Supporting Definition: For statistical purposes, the following category codes, labels and definitions are

preferred:

CODE 1 Male: Persons who have male or predominantly masculine biological

characteristics, or male sex assigned at birth.

CODE 2 Female: Persons who have female or predominantly feminine biological

characteristics, or female sex assigned at birth.

CODE 3 Other: Persons who have mixed or non-binary biological characteristics (if

known), or a non-binary sex assigned at birth.

The value meaning of 'Other' has been assigned to Code 3 for this value domain, which replaces 'Intersex or indeterminate' for the superseded value domain Sex code N. Terms such as 'indeterminate,' 'intersex', 'non-binary', and 'unspecified' are variously used to describe the 'Other' category of sex. The label 'Other' is used because a more descriptive term has not been widely agreed within the general

community.

Sex refers to the chromosomal, gonadal and anatomical characteristics associated with biological sex. Where there is an inconsistency between anatomical and chromosomal characteristics, sex is based on anatomical characteristics.

Inclusion Criteria: All patients

Timing: Baseline

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Male

2 = Female

3 = Other

999 = Undisclosed

Variable ID: GENDER

Variable: Gender identity

Definition: The patient's gender identity. **Display Value:** Do you think of yourself as...?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Boy/Man

2 = Girl/Woman 3 = Non-binary

4 = Trans man/Transgender man/FTM//Trans woman/Transgender woman/MTF

5 = None of these describe me, and I'd like to specify

999 = Prefer not to answer

Variable ID: SEXORIENT Variable: Sexual orientation

Definition: The patient's sexual orientation. **Display Value:** Do you think of yourself as...?

Supporting Definition: N/A

Inclusion Criteria: All patients Timing: Baseline

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Straight or heterosexual

2 = Gay or lesbian or homosexual

3 = Bisexual

4 = None of these describe me, and I'd like to specify

5 = I don't know right now 999 = Prefer not to answer

Variable ID: EDUCATIONLEVEL PARENT

Variable: Level of education of parents as a proxy for socioeconomic status

Definition: Highest level of education completed by parents.

Display Value: Please indicate your parents' highest level of schooling completed.

Mapping of the ICHOM definition of level of education to the level of schooling as Supporting Definition:

defined by ISCED (International Standard Classification).

ICHOM mapping 'None':

Level o: Early Childhood Education; designed with a holistic approach to support children's early cognitive, physical, social and emotional development and introduce young children to organized instruction outside of the family context to develop some of the skills needed for academic readiness and to prepare them for entry into

primary education. Designed for children o-2 years.

Level 1: Primary Education; designed to provide students with fundamental skills in reading, writing, and mathematics (i.e. literacy and numeracy) and establish a solid foundation for learning and understanding core areas of knowledge, personal and social development, in preparation for lower secondary education. Typically lasts until ages 10-12.

ICHOM mapping 'Primary':

Level 2: Lower secondary education; lays the foundation for lifelong learning and human development upon which education systems may then expand further educational opportunities. Students enter between ages 10-13 and usually finish

between 14-16 years.

Level 3: Upper secondary education, designed to complete secondary education in preparation for tertiary education or provide skills relevant to employment, or both. Students usually enter between 14-16 and finish by ages 17-18.

ICHOM mapping 'Secondary':

Level 4: Post-secondary non-tertiary education; provides learning experiences building on secondary education, preparing for labour market entry as well as tertiary education. The content of level 4 programmes is not sufficiently complex to be regarded as tertiary education, although it is clearly post-secondary. Level 5: short-cycle tertiary education; designed to provide participants with professional knowledge, skills, and competencies. Typically, they are practically-based, occupationally-specific, and prepare students to enter the labour market. ICHOM mapping 'Tertiary':

Level 6: Bachelor's or equivalent level; often designed to provide participants with intermediate academic and/or professional knowledge, skills and competencies, leading to a first degree or equivalent qualification.

Level 7: Master's or equivalent level; designed to provide participants with advanced academic and/or professional knowledge, skills and competencies, leading to a second degree or equivalent qualification.

Level 8: Doctoral or equivalent level; designed primarily to lead to an advanced

research qualification.

Inclusion Criteria: Adolescent patients

Timing: Baseline

Data Source: Patient-reported **Type:** Single answer

Response Options: o = None

1 = Primary 2 = Secondary 3 = Tertiary

Variable ID: EDUCATIONLEVEL

Variable: Level of education as a proxy for socioeconomic status

Definition: Highest level of education completed.

Display Value: Please indicate your highest level of schooling completed.

Supporting Definition: Mapping of the ICHOM definition of level of education to the level of schooling as

defined by ISCED (International Standard Classification).

ICHOM mapping 'None':

Level o: Early Childhood Education; designed with a holistic approach to support children's early cognitive, physical, social and emotional development and introduce young children to organized instruction outside of the family context to develop some of the skills needed for academic readiness and to prepare them for entry into primary education. Designed for children 0-2 years.

Level 1: Primary Education; designed to provide students with fundamental skills in reading, writing, and mathematics (i.e. literacy and numeracy) and establish a solid foundation for learning and understanding core areas of knowledge, personal and social development, in preparation for lower secondary education. Typically lasts until ages 10-12.

ICHOM mapping 'Primary':

Level 2: Lower secondary education; lays the foundation for lifelong learning and human development upon which education systems may then expand further educational opportunities. Students enter between ages 10-13 and usually finish between 14-16 years.

Level 3: Upper secondary education, designed to complete secondary education in preparation for tertiary education or provide skills relevant to employment, or both. Students usually enter between 14-16 and finish by ages 17-18.

ICHOM mapping 'Secondary':

Level 4: Post-secondary non-tertiary education; provides learning experiences building on secondary education, preparing for labour market entry as well as tertiary education. The content of level 4 programmes is not sufficiently complex to be regarded as tertiary education, although it is clearly post-secondary.

Level 5: short-cycle tertiary education; designed to provide participants with professional knowledge, skills, and competencies. Typically, they are practically-based, occupationally-specific, and prepare students to enter the labour market. ICHOM mapping 'Tertiary':

Level 6: Bachelor's or equivalent level; often designed to provide participants with intermediate academic and/or professional knowledge, skills and competencies, leading to a first degree or equivalent qualification.

Level 7: Master's or equivalent level; designed to provide participants with advanced academic and/or professional knowledge, skills and competencies, leading to a second degree or equivalent qualification.

Level 8: Doctoral or equivalent level; designed primarily to lead to an advanced

research qualification.

Inclusion Criteria: Adult patients

Timing: Baseline

Transition to adult services Annually if still in education

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Primary 2 = Secondary 3 = Tertiary

Variable ID: WORK

Variable: Work status / Educational status

Definition: The patient's work/educational status.

Display Value: What is your work/educational status?

Supporting Definition: Including feedback from Working Group

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported **Type:** Single answer

Response Options: o = Unable to work due to a physical condition

1 = Unable to work due to mental health condition 2 = Not working by choice (retired, homemaker, other)

3 = Seeking employment or applying for studies (I consider myself able to work)

4 = Part-time work, volunteering, school, or vocational training 5 = Full-time work, volunteering, school, or vocational training

Variable ID: HOUSING Qo1

Variable: Question 1 of Housing status

Definition: Indicate whether the patient had stable and suitable housing status in the past

month.

Display Value: This past month, have you had stable and suitable housing?

Supporting Definition: N/A

Inclusion Criteria: All patients
Timing: Baseline

Annually

Data Source: Patient-reported **Type:** Single answer

Response Options: o = No

ı = Yes

Variable ID: HOUSING_Q02

Variable: Question 2 of Housing status

Definition: Indicate whether the patient is at risk of eviction.

Display Value: Are you at risk of eviction?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

Variable ID: LIVING

Variable: Living arrangements

Definition: The patient's living arrangements.

Display Value: Which statement best describes your living arrangements?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported **Type:** Single answer

Response Options: 1 = I live alone.

2 = I live with others.

3 = I live in a supported home.

888 = Other

Variable ID: ETHNICMIN_Qo1

Variable: Question 1 of Ethnic minority / Marginalisation

Definition: Indicate whether the patient belongs to an ethnic minority.

Display Value: Do you consider yourself to be in an ethnic minority where you live?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

999 = Prefer not to say

Variable ID: ETHNICMIN_Qo2

Variable: Question 2 of Ethnic minority / Marginalisation

Definition: Indicate whether the patient is a member of a marginalised group.

Display Value: Do you consider yourself to be a member of a marginalised group where you live?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

999 = Prefer not to say

Clinical Factors

Variable ID: COMORB
Variable: Comorbidities

Definition: Indicate whether the patient has a documented history of any of the following

comorbidities.

Display Value: Have you been told by a doctor that you have any of the following?

Supporting Definition: Based upon the Self-administered Comorbidity Questionnaire (Sangha et al, 2003).

Please do not select target condition.

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported **Type:** Multiple answer

Separate multiple entries with ";"

Response Options: o = I have no other diseases

1 = Heart disease (For example angina, heart attack, or heart failure)

2 = High blood pressure

3 = Leg pain when walking due to poor circulation

4 = Lung disease (For example asthma, chronic bronchitis, or emphysema)

5 = Diabetes6 = Kidney disease7 = Liver disease

8 = Problems caused by stroke

9 = Disease of the nervous system (For example Parkinson's disease or Multiple

Sclerosis)

10 = Cancer (within the last 5 years)

11 = Depression 12 = Anxiety 13 = Arthritis

14 = Sexually transmitted disease

15 = Substance abuse (For example alcohol or drugs)

16 = Somatoform disorder (unexplained medical symptoms)

17 = Personality disorder 18 = Chronic pain disorder 19 = Schizophrenic disorder

888 = Other

999 = Prefer not to say

Variable ID: HOSP_LIFE

Variable: Hospitalisations (lifetime)

Definition: Number of lifetime hospitalisations related to the target condition.

Display Value: How many times have you been hospitalised due to your [target condition]

previously in your life?

Supporting Definition: N/A

Inclusion Criteria: All patients
Timing: Baseline

Data Source: Administrative data (or best estimate from self-report if data unavailable)

Type: Numerical value

Response Options: Quantity

Variable ID: HOSP_YEAR

Variable: Hospitalisations (12 months)

Definition: Number of hospitalisations related to the target condition in the past 12 months. **Display Value:** How many times have you been hospitalised due to your [target condition] in the

past 12 months?

Supporting Definition: N/A

Inclusion Criteria: All patients
Timing: Annually

Data Source: Administrative data (or best estimate from self-report if data unavailable)

Type: Numerical value

Response Options: Quantity

Variable ID: PC-PTSD-5_Qo1

Variable: Question 1 of the Primary Care PTSD Screen for DSM-5

Definition: Indicate the patient's response to the question.

Display Value: Sometimes things happen to people that are unusually or especially frightening,

horrible, or traumatic. For example: a serious accident or fire, a physical or sexual assault or abuse, an earthquake or flood, a war, seeing someone be killed or seriously injured, having a loved one die through homicide or suicide.

Have you ever experienced this kind of event?

Supporting Definition: If answer is no, screen total = o. Please stop here.

If answer is yes, please answer the questions below.

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

Variable ID: PC-PTSD-5_Q02

Variable: Question 2 of the Primary Care PTSD Screen for DSM-5

Definition: Indicate the patient's response to the question.

Display Value: In the past month, have you...

Had nightmares about the event(s) or thought about the event(s) when you did not

want to?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

Variable ID: PC-PTSD-5_Qo3

Variable: Question 3 of the Primary Care PTSD Screen for DSM-5

Definition: Indicate the patient's response to the question.

Display Value: Tried hard not to think about the event(s) or went out of your way to avoid

situations that reminded you of the event(s)?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported

Type: Single answer **Response Options:** o = No

1 = Yes

Variable ID: PC-PTSD-5 Q04

Variable: Question 4 of the Primary Care PTSD Screen for DSM-5

Definition: Indicate the patient's response to the question.

Display Value: Been constantly on guard, watchful, or easily startled?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

Variable ID: PC-PTSD-5_Qo5

Variable: Question 5 of the Primary Care PTSD Screen for DSM-5

Definition: Indicate the patient's response to the question.

Display Value: Felt numb or detached from people, activities, or your surroundings?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Patient-reported **Type:** Single answer

Response Options: o = No

1 = Yes

Variable ID: PC-PTSD-5_Qo6

Variable: Question 6 of the Primary Care PTSD Screen for DSM-5

Definition: Indicate the patient's response to the question.

Display Value: Felt guilty or unable to stop blaming yourself or others for the event(s) or any

problems the event(s) may have caused?

Supporting Definition: N/A

Inclusion Criteria: All patients
Timing: Baseline

Annually

Data Source: Patient-reported

Type: Single answer

Response Options: o = No

1 = Yes

Intervention-Related Factors

Variable ID: INTERVENTION_SETTING_Qo1
Variable: Question 1 of Intervention setting

Definition: Indicate the patient's intervention setting.

Display Value: Does this intervention involve an overnight stay at an institution providing mental

health support?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Clinician-reported

Type: Single answer

Response Options: o = No

1 = Yes

Variable ID: INTERVENTION_SETTING_Qo2
Variable: Question 2 of Intervention setting

Definition: Indicate the patient's intervention setting.

Display Value: Does this intervention involve the use of a digital platform?

Supporting Definition: N/A

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Clinician-reported

Type: Single answer

Response Options: o = No

1 = Yes

Variable ID: INTERVENTION_TYPE_Qo1
Variable: Question 1 of Intervention type

Definition: Indicate the patient's intervention type.

Display Value: Is the intervention delivered to an individual, or to a group?

Supporting Definition: If answer is o = No intervention / treatment in place, skip question 2 and 3 of

Intervention type.

Inclusion Criteria: All patients

Timing: Baseline

Annually

Data Source: Clinician-reported

Type: Single answer

Response Options: o = No intervention / treatment in place

1 = Individual 2 = Group 3 = A mix of both

Variable ID: INTERVENTION_TYPE_Qo2
Variable: Question 2 of Intervention type

Definition: Indicate the patient's treatment approaches. **Display Value:** What is the treatment approach? (all that apply)

Supporting Definition: N/A

Inclusion Criteria: All patients
Timing: Baseline

Annually

Data Source: Clinician-reported

Type: Multiple answer

Separate multiple entries with ","

Response Options: 1 = Crisis intervention

2 = Counselling

3 = Psychotherapy (including CBT, IPT, DBT, or other psychotherapies) 4 = Physical treatment (e.g. light therapy, electroconvulsive therapy, rTMS, or

others)

5 = Pharmacotherapy (if so, proceed to next question)

6 = Lifestyle interventions, guided self-help or psychoeducation

888 = Other

Variable ID: INTERVENTION_TYPE_Qo3
Variable: Question 3 of Intervention type

Definition: Indicate the patient's prescribed medications.

Display Value: What type of medication is prescribed? (all that apply)

Supporting Definition: N/A

Inclusion Criteria: All patients receiving medication for mental health disorders

Timing: Baseline Annually

Data Source: Clinician-reported

Type: Multiple answer

Separate multiple entries with ";"

Response Options: 1 = Selective serotonin reuptake inhibitors (SSRIs)

2= Tricyclic and related antidepressants 3 = Other atypical antidepressants 4 = Atypical antipsychotic medication

5 = Herbal medication
6 = Mood stabilisers
7 = Anti-convulsants
8 = Beta-blockers

9 = Complementary medications

10 = Uncertain

Outcomes

Severity of Dependence

Variable ID: PROMIS-ALCOHOL_Qoo

Variable: Screener question of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days, did you drink any type of alcoholic beverage?

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome.

If answer is yes, proceed to short form items.

If answer is no, skip the remaining short form items.

Inclusion Criteria: Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = No2 = Yes

Variable ID: PROMIS-ALCOHOL_Qo1

Variable: Question 1 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days...

I spent too much time drinking.

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome.

Inclusion Criteria: Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely3 = Sometimes4 = Often5 = Almost always

Variable ID: PROMIS-ALCOHOL Qo2

Variable: Question 2 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: I drank heavily at a single sitting.

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome. **Inclusion Criteria:** Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Type: Single answer **Response Options:** 1 = Never

2 = Rarely 3 = Sometimes 4 = Often

5 = Almost always

Variable ID: PROMIS-ALCOHOL_Qo3

Variable: Question 3 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: I drank too much.

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome. **Inclusion Criteria:** Patients seeking support for their alcohol use disorder

Timing: All time points **Data Source:** Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often

5 = Almost always

Variable ID: PROMIS-ALCOHOL_Qo4

Variable: Question 4 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: I drank more than planned.

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome.

Inclusion Criteria: Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often

5 = Almost always

Variable ID: PROMIS-ALCOHOL_Qo5

Variable: Question 5 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: I had trouble controlling my drinking.

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome.

Inclusion Criteria: Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely3 = Sometimes4 = Often5 = Almost always

Variable ID: PROMIS-ALCOHOL_Qo6

Variable: Question 6 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: It was difficult for me to stop drinking after one or two drinks. **Supporting Definition:** Covering Symptoms of Alcohol Dependence outcome.

Inclusion Criteria: Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely3 = Sometimes4 = Often5 = Almost always

Variable ID: PROMIS-ALCOHOL_Q07

Variable: Question 7 of PROMIS Short Form v1.0 - Alcohol Use 7a

Definition: Indicate the patient's response to the question.

Display Value: It was difficult for me to stop drinking after one or two drinks.

Supporting Definition: Covering Symptoms of Alcohol Dependence outcome. **Inclusion Criteria:** Patients seeking support for their alcohol use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often

5 = Almost always

Variable ID: PROMIS-SUBSTANCE_Qoo

Variable: Screener question of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30

days) 7a

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days, have you used drugs, other than alcohol or your prescribed

medications?

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome.

If answer is yes, proceed to short form items.

If answer is no, skip the remaining short form items.

Inclusion Criteria: Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = No

2 = Yes

Variable ID: PROMIS-SUBSTANCE Qo1

Variable: Question 1 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days...

I felt that my drug use was out of control.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome.

Inclusion Criteria: Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Not at all

2 = A little bit 3 = Somewhat 4 = Quite a bit 5 = Very much

Variable ID: PROMIS-SUBSTANCE_Qo2

Variable: Question 2 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question. **Display Value:** My desire to use drugs seemed overpowering.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome.

Inclusion Criteria: Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely

3 = Sometimes 4 = Often 5 = Almost always

Variable ID: PROMIS-SUBSTANCE_Qo3

Variable: Question 3 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question. **Display Value:** Drugs were the only thing I could think about.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome. **Inclusion Criteria:** Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Almost always

Variable ID: PROMIS-SUBSTANCE_Qo4

Variable: Question 4 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question.

Display Value: My drug use caused problems with people close to me.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome.

Inclusion Criteria: Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely3 = Sometimes4 = Often5 = Almost always

Variable ID: PROMIS-SUBSTANCE_Qo5

Variable: Question 5 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question.

Display Value: I have a drug problem.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome. **Inclusion Criteria:** Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Not at all

2 = A little bit 3 = Somewhat 4 = Quite a bit 5 = Very much

Variable ID: PROMIS-SUBSTANCE_Qo6

Variable: Question 6 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question.

Display Value: I craved drugs.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome. **Inclusion Criteria:** Patients seeking support for their substance use disorder

Timing: All time points
Data Source: Patient-reported
Type: Single answer
Response Options: 1 = Never

2 = Rarely

3 = Sometimes

4 = Often

5 = Almost always

Variable ID: PROMIS-SUBSTANCE_Qo7

Variable: Question 7 of PROMIS Short Form v1.0 - Severity of Substance Use (Past 30 days)

7a

Definition: Indicate the patient's response to the question.

Display Value: I spent a lot of time using drugs.

Supporting Definition: Covering Symptoms of Substance Use Dependence outcome.

Inclusion Criteria: Patients seeking support for their substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely3 = Sometimes4 = Often5 = Almost always

Variable ID: PROMIS-SMOKING_Qo1

Variable: Question 1 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: When I haven't been able to smoke for a few hours, the craving gets intolerable.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome.

Inclusion Criteria: Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Always

Variable ID: PROMIS-SMOKING_Q02

Variable: Question 2 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: I find myself reaching for cigarettes without thinking about it.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome.

Inclusion Criteria: Patients seeking support for their nicotine dependence
Timing: All time points

Data Source: Patient-reported
Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Always

Variable ID: PROMIS-SMOKING_Qo3

Variable: Question 3 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question. **Display Value:** I drop everything to go out and buy cigarettes.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome.

Inclusion Criteria: Patients seeking support for their nicotine dependence

Timing: All time points **Data Source:** Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Always

Variable ID: PROMIS-SMOKING_Q04

Variable: Question 4 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: I smoke more before going into a situation where smoking is not allowed.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome. **Inclusion Criteria:** Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Always

Variable ID: PROMIS-SMOKING_Qo5

Variable: Question 5 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: When I'm really craving a cigarette, it feels like I'm in the grip of some unknown

force that I cannot control.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome. **Inclusion Criteria:** Patients seeking support for their nicotine dependence

Timing: All time points **Data Source:** Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Always

Variable ID: PROMIS-SMOKING_Qo6

Variable: Question 6 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: After not smoking for a while, I need to smoke in order to avoid feeling any

discomfort.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome. **Inclusion Criteria:** Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Never

2 = Rarely 3 = Sometimes 4 = Often 5 = Always

Variable ID: PROMIS-SMOKING_Qo7

Variable: Question 7 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: I crave cigarettes at certain times of day.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome. **Inclusion Criteria:** Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Type: Single answer

Response Options: 1 = Not at all 2 = A little bit

3 = Somewhat 4 = Quite a bit 5 = Very much

Variable ID: PROMIS-SMOKING_Qo8

Variable: Question 8 of PROMIS Short Form v1.0 - Smoking Nicotine Dependence for All

Smokers 8a

Definition: Indicate the patient's response to the question.

Display Value: My urges to smoke keep getting stronger if I don't smoke.

Supporting Definition: Covering Symptoms of Smoking Dependence outcome.

Inclusion Criteria: Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer **Response Options:** 1 = Not at all

2 = A little bit 3 = Somewhat 4 = Quite a bit 5 = Very much

Variable ID: HSI_Qo1

Variable: Question 1 of the Heaviness of Smoking Index **Definition:** Indicate the patient's response to the question.

Display Value: On the days that you smoke, how soon after you wake up do you have your first

cigarette?

Supporting Definition: Covering Symptoms of Smoking Dependence outcome. **Inclusion Criteria:** Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = After 6o minutes

1 = 31-60 minutes 2 = 6-30 minutes 3 = Within 5 minutes

Variable ID: HSI_Qo2

Variable: Question 2 of the Heaviness of Smoking Index **Definition:** Indicate the patient's response to the question.

Display Value: How many cigarettes do you typically smoke per day?

Supporting Definition: Covering Symptoms of Smoking Dependence outcome.

Inclusion Criteria: Patients seeking support for their nicotine dependence

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = 10 or fewer

1 = 11-20

2 = 21-30

3 = 31 or more

Variable ID: PGSI Qo1

Variable: Question 1 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you bet more than you could really afford to lose?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome.

Inclusion Criteria: Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Most of the time 3 = Always

Variable ID: PGSI Q02

Variable: Question 2 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you needed to gamble with larger amounts of money to get the same feeling

of excitement?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes2 = Most of the time

3 = Always

Variable ID: PGSI_Qo3

Variable: Question 3 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you gone back on another day to try to win back the money you lost?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never 1 = Sometimes 2 = Most of the time

3 = Always

Variable ID: PGSI_Q04

Variable: Question 4 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you borrowed money or sold anything to gamble?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome.

Inclusion Criteria: Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes2 = Most of the time

3 = Always

Variable ID: PGSI_Qo5

Variable: Question 5 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you felt that you might have a problem with gambling?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Most of the time

3 = Always

Variable ID: PGSI_Qo6

Variable: Question 6 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have people criticised your betting or told you that you had a gambling problem,

whether or not you thought it was true?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes2 = Most of the time

3 = Always

Variable ID: PGSI_Qo7

Variable: Question 7 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you felt guilty about the way you gamble or what happens when you

gamble?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes2 = Most of the time

3 = Always

Variable ID: PGSI_Qo8

Variable: Question 8 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Has gambling caused you any health problems, including stress or anxiety?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Most of the time

3 = Always

Variable ID: PGSI_Qo9

Variable: Question 9 of the Problem Gambling Severity Index **Definition:** Indicate the patient's response to the question.

Display Value: Has your gambling caused any financial problems for you or your household?

Supporting Definition: Covering Symptoms of Gambling Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gambling problem

> **Timing:** All time points Data Source: Patient-reported **Type:** Single answer

Response Options: o = Never

1 = Sometimes 2 = Most of the time

3 = Always

Variable ID: IGDT-10_Q01

Variable: Question 1 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: When you were not playing, how often have you fantasized about gaming, thought

of previous gaming sessions, and/or anticipated the next game?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. Inclusion Criteria: Patients seeking support for their gaming problem

> **Timing:** All time points Data Source: Patient-reported Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: IGDT-10 Q02

Variable: Question 2 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: How often have you felt restless, irritable, anxious and/or sad when you were

unable to play or played less than usual?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. Inclusion Criteria:

Patients seeking support for their gaming problem

Timing: All time points Data Source: Patient-reported Single answer Type:

Response Options: o = Never 1 = Sometimes

2 = Often

Variable ID: IGDT-10_Q03

Variable: Question 3 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Have you ever in the past 12 months felt the need to play more often or played for Display Value:

longer periods to feel that you have played enough?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. Patients seeking support for their gaming problem Inclusion Criteria:

> **Timing:** All time points Data Source: Patient-reported Type: Single answer

Response Options: o = Never 1 = Sometimes

2 = Often

Variable ID: IGDT-10 Q04

Variable: Question 4 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you ever in the past 12 months unsuccessfully tried to reduce the time spent

on gaming?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome.

Inclusion Criteria: Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: IGDT-10_Q05

Variable: Question 5 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you ever in the past 12 months played games rather than meet your friends

or participate in hobbies and pastimes that you used to enjoy before?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: IGDT-10_Q06

Variable: Question 6 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you played a lot despite negative consequences (for instance losing sleep,

not being able to do well in school or work, having arguments with your family or

friends, and/or neglecting important duties)?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome.

Inclusion Criteria: Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: IGDT-10_Q07

Variable: Question 7 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you tried to keep your family, friends or other important people from

knowing how much you were gaming or have you lied to them regarding your

gaming?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes2 = Often

Variable ID: IGDT-10_Q08

Variable: Question 8 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you played to relieve a negative mood (for instance helplessness, guilt, or

anxiety)?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome.

Inclusion Criteria: Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: IGDT-10_Q09

Variable: Question 9 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you risked or lost a significant relationship because of gaming?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: IGDT-10_Q10

Variable: Question 10 of the Ten-Item Internet Gaming Disorder Test

Definition: Indicate the patient's response to the question.

Display Value: Have you ever in the past 12 months jeopardized your school or work performance

because of gaming?

Supporting Definition: Covering Symptoms of Gaming Disorder outcome. **Inclusion Criteria:** Patients seeking support for their gaming problem

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Sometimes 2 = Often

Variable ID: TOP-S1_Q01

Variable: Question 1 of the NHS Treatment Outcomes Profile for Substance Misuse - Section

1

Definition: Indicate the patient's response to the question.

Display Value: Record the average amount on a using day and number of days substances used in

each of past four weeks:

Alcohol.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value
Multiple answer

Separate multiple entries with ";"

Response Options: Average = units/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1_Q02

Variable: Question 2 of the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Opiates/opioids (illicit)*.

*Includes street heroin and any non-prescribed opioid, such as methadone and

buprenorphine.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

The Working Group is suggesting removing the word "(illicit)" from the Display

value.

Inclusion Criteria: All patients

Timing: All time points

Data Source: Patient-reported

Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Average = g/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1_Q03

Variable: Question 3 of the NHS Treatment Outcomes Profile for Substance Misuse - Section

1

Definition: Indicate the patient's response to the question.

Display Value: Crack.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients

Timing: All time points

Data Source: Patient-reported

Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Average = q/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1_Q04

Variable: Question 4 of the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Cocaine.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer Separate multiple entries with ";"

Response Options: Average = q/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1_Q05

Variable: Question 5 of the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Amphetamines.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Average = g/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1_Q06

Variable: Question 6 of the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Cannabis.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Average = spliff/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1_Q07

Variable: Question 7 of the NHS Treatment Outcomes Profile for Substance Misuse - Section

1

Definition: Indicate the patient's response to the question.

Display Value: Other problem substance? (name)

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

The Working Group is suggesting removing the word "problem" from the Display

value.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported

Type: Numerical value Multiple answer

Separate multiple entries with ";"

Response Options: Average = q/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA Q08

Variable: Question 8 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section ${ ilda 1}$

Definition: Indicate the patient's response to the question.

Display Value: Tobacco.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ","

Response Options: Average = cig/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q09

Variable: Question 9 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Record the average number of hours spent gaming and number of days played in

each of past four weeks.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Average = hours/day

Week 4 = days/week Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA Q10

Variable: Question 10 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Record the average number of days gambled on each of the following in each of

past four weeks:

Offline (real-world) gambling:

Electronic gaming machines (e.g. slots/pokies, blackjack, poker, Keno).

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q11

Variable: Question 11 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Horses and sports wagering.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients

Timing: All time points

Data Source: Patient-reported

Type: Numerical value

Multiple answer

violupie ariswei

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q12

Variable: Question 12 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Casino table games.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q13

Variable: Question 13 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Lotteries (including scratch cards).

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value
Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q14

Variable: Question 14 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: eSports.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

ype. Nomencarvalue

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q15

Variable: Question 15 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Bingo.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported

Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q16

Variable: Question 16 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Other? (name)

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q17

Variable: Question 17 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Online gambling:

Wagering.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q18

Variable: Question 18 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Casino table games.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported

Type: Numerical value Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q19

Variable: Question 19 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Slots/roulette/blackjack.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q20

Variable: Question 20 added to the NHS Treatment Outcomes Profile for Substance Misuse

- Section 1

Definition: Indicate the patient's response to the question.

Display Value: Skins.

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points
Data Source: Patient-reported
Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

Week 3 = days/week Week 2 = days/week Week 1 = days/week

Variable ID: TOP-S1-EXTRA_Q21

Variable: Question 21 added to the NHS Treatment Outcomes Profile for Substance Misuse -

Section 1

Definition: Indicate the patient's response to the question.

Display Value: Other? (name)

Supporting Definition: Covering Frequency and Quantity of Activity outcome.

Inclusion Criteria: All patients
Timing: All time points

Data Source: Patient-reported

Type: Numerical value

Multiple answer

Separate multiple entries with ";"

Response Options: Week 4 = days/week

> Week 3 = days/week Week 2 = days/week Week 1 = days/week

Global Functioning and Quality of Life

Variable ID: WHODAS12 Q01

Variable: Question 1 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days, how much difficulty did you have in...

Standing for long periods such as 30 minutes?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points Data Source: Patient-reported Type: Single answer

Response Options: o = None 1 = Mild

> 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q02

Variable: Question 2 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question. **Display Value:** Taking care of your household responsibilities?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points Data Source: Patient-reported **Type:** Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q03

Variable: Question 3 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Learning a new task, for example, learning how to get to a new place?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points Data Source: Patient-reported **Type:** Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q04

Variable: Question 4 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: How much of a problem did you have joining in community activities (for example,

festivities, religious or other activities) in the same way as anyone else can?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q05

Variable: Question 5 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: How much have you been emotionally affected by your health problems?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q06

Variable: Question 6 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question. **Display Value:** Concentrating on doing something for ten minutes?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q07

Variable: Question 7 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Walking a long distance such as a kilometre [or equivalent]? **Supporting Definition:** Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe 4 = Extreme or cannot do

Variable ID: WHODAS12_Q08

Variable: Question 8 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Washing your whole body?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q09

Variable: Question 9 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Getting dressed?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q10

Variable: Question 10 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Dealing with people you do not know?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q11

Variable: Question 11 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Maintaining a friendship?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer
Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12 Q12

Variable: Question 12 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Your day-to-day work?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None

1 = Mild 2 = Moderate 3 = Severe

4 = Extreme or cannot do

Variable ID: WHODAS12_Q13

Variable: Question 13 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: Overall, in the past 30 days, how many days were these difficulties present?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Numerical value

Response Options: Number of days

Variable ID: WHODAS12 Q14

Variable: Question 14 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days, for how many days were you totally unable to carry out your

usual activities or work because of any health condition?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points
Data Source: Patient-reported
Type: Numerical value
Response Options: Number of days

Variable ID: WHODAS12_Q15

Variable: Question 15 of the WHO Disability Assessment Schedule 2.0 – 12-item version

Definition: Indicate the patient's response to the question.

Display Value: In the past 30 days, not counting the days that you were totally unable, for how

many days did you cut back or reduce your usual activities or work because of any

health condition?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Numerical value

Response Options: Number of days

Variable ID: PROMIS-GH-10 Q03

Variable: Question 3 of PROMIS Scale v1.2 - Global Health

Definition: Indicate the patient's response to the question.

Display Value: In general, how would you rate your physical health?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Additional items to ensure full coverage of the outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Poor

2 = Fair 3 = Good 4 = Very good 5 = Excellent

Variable ID: PROMIS-GH-10_Q04

Variable: Question 4 of PROMIS Scale v1.2 - Global Health **Definition:** Indicate the patient's response to the question.

Display Value: In general, how would you rate your mental health, including your mood and your

ability to think?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Additional items to ensure full coverage of the outcomes.

Inclusion Criteria: All patients in adult services or services that follow transition to adulthood

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: 1 = Poor

2 = Fair 3 = Good 4 = Very good 5 = Excellent

Variable ID: KIDSCREEN10_Q01

Variable: Question 1 of the KIDSCREEN-10 Index

Definition: Indicate the patient's response to the question.

Display Value: Have you felt fit and well?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points
Data Source: Patient-reported
Type: Single answer
Response Options: o = Not at all

1 = Slightly 2 = Moderately 3 = Very

4 = Extremely

Variable ID: KIDSCREEN10_Q02

Variable: Question 2 of the KIDSCREEN-10 Index

Definition: Indicate the patient's response to the question.

Display Value: Have you felt full of energy?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q03

Variable: Question 3 of the KIDSCREEN-10 Index

Definition: Indicate the patient's response to the question.

Display Value: Have you felt sad?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q04

Variable: Question 4 of the KIDSCREEN-10 Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you felt lonely?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q05

Variable: Question 5 of the KIDSCREEN-10 Index

Definition: Indicate the patient's response to the question. **Display Value:** Have you had enough time for yourself?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never 1 = Seldom

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q06

Variable: Question 6 of the KIDSCREEN-10 Index

Definition: Indicate the patient's response to the question.

Display Value: Have you been able to do the things that you want to do in your free time?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q07

Variable: Question 7 of the KIDSCREEN-10 Index **Definition:** Indicate the patient's response to the question.

Display Value: Have your parent(s) treated you fairly?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q08

Variable: Question 8 of the KIDSCREEN-10 Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you had fun with your friends?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always

Variable ID: KIDSCREEN10_Q09

Variable: Question 9 of the KIDSCREEN-10 Index **Definition:** Indicate the patient's response to the question.

Display Value: Have you got on well at school?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Not at all

1 = Slightly 2 = Moderately 3 = Very 4 = Extremely

Variable ID: KIDSCREEN10_Q10

Variable: Question 10 of the KIDSCREEN-10 Index

Definition: Indicate the patient's response to the question.

Display Value: Have you been able to pay attention?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = Seldom 2 = Quite often 3 = Very often 4 = Always Variable ID: KIDSCREEN10_Q11

Variable: Question 11 of the KIDSCREEN-10 Index
Definition: Indicate the patient's response to the question.
Display Value: In general, how would you say your health is?

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Adolescents in services working exclusively with children and young people

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Poor

1 = Fair 2 = Good

> 3 = Very good 4 = Excellent

Variable ID: SURE_Qo1

Variable: Question 1 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: Thinking about the last week...

I have drunk too much.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = On 1 or 2 days 2 = On 3 or 4 days 3 = On 5 or 6 days 4 = Every day

Variable ID: SURE_Q02

Variable: Question 2 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have used street drugs.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = On 1 or 2 days 2 = On 3 or 4 days 3 = On 5 or 6 days 4 = Every day

Variable ID: SURE_Qo3

Variable: Question 3 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have experienced cravings.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Never

1 = On 1 or 2 days 2 = On 3 or 4 days 3 = On 5 or 6 days

4 = Every day

Variable ID: SURE_Qo4

Variable: Question 4 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have coped with problems without misusing drugs or alcohol. **Supporting Definition:** Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Qo5

Variable: Question 5 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have managed pains and ill-health without misusing drugs or alcohol.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Qo6

Variable: Question 6 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have been spending my free time on hobbies and interests that do not involve

drugs or alcohol.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE Q07

Variable: Question 7 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: I have been taking care of my mental health.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time

2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Qo8

Variable: Question 8 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question. **Display Value:** I have been taking care of my physical health.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time

2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Qo9

Variable: Question 9 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have been eating a good diet.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time

2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE Q10

Variable: Question 10 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have slept well.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time 3 = Most of the time

4 = All of the time

Variable ID: SURE Q11

Variable: Question 11 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the guestion.

Display Value: I have had a good daily routine.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time

2 = A fair amount of the time

3 = Most of the time4 = All of the time

Variable ID: SURE_Q12

Variable: Question 12 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: I have been getting on well with people.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Patients seeking support for their alcohol and/or substance use disorder Inclusion Criteria:

Timing: All time points Data Source: Patient-reported **Type:** Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time4 = All of the time

Variable ID: SURE_Q13

Variable: Question 13 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have felt supported by people around me.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points Data Source: Patient-reported **Type:** Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time4 = All of the time

Variable ID: SURE_Q14

Variable: Question 14 of the Substance Use Recovery Evaluator Definition: Indicate the patient's response to the question.

Display Value: I have been treated with respect and consideration by people around me.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points Data Source: Patient-reported Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time 3 = Most of the time

4 = All of the time

Variable ID: SURE Q15

Variable: Question 15 of the Substance Use Recovery Evaluator Definition: Indicate the patient's response to the question. **Display Value:** I have treated others with respect and consideration.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points Data Source: Patient-reported Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Q16

Variable: Question 16 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: I have had stable housing.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Q17

Variable: Question 17 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have had a regular income (from benefits, work, or other legal sources).

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Q18

Variable: Question 18 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have been managing my money well.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time 3 = Most of the time

4 = All of the time

Variable ID: SURE_Q19

Variable: Question 19 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: I have felt happy with my overall quality of life.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time

2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Q20

Variable: Question 20 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: I have felt positive.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time 2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE_Q21

Variable: Question 21 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: I have had realistic hopes and goals for myself.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = None of the time

1 = A little of the time2 = A fair amount of the time

3 = Most of the time 4 = All of the time

Variable ID: SURE Q22

Variable: Question 22 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: Reducing or abstaining from drinking or drug taking.

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points
Data Source: Patient-reported
Type: Single answer
Response Options: o = Not important

1 = A little important

2 = Important 3 = Very important

Variable ID: SURE_Q23

Variable: Question 23 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: Looking after yourself (physically taking care of yourself, mentally taking care of

yourself, having a good diet, sleeping well, having a good routine).

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points **Data Source:** Patient-reported

Type: Single answer

Response Options: o = Not important

1 = A little important 2 = Important 3 = Very important

Variable ID: SURE_Q24

Variable: Question 24 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: Having good relationships with other people (getting on with people, feeling

supported by people, being treated with respect, treating others with respect).

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Not important

1 = A little important2 = Important3 = Very important

Variable ID: SURE_Q25

Variable: Question 25 of the Substance Use Recovery Evaluator

Definition: Indicate the patient's response to the question.

Display Value: Having resources and belongings (stable housing, regular income, managing

money).

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Not important

1 = A little important2 = Important3 = Very important

Variable ID: SURE Q26

Variable: Question 26 of the Substance Use Recovery Evaluator **Definition:** Indicate the patient's response to the question.

Display Value: Outlook on life (having a good quality of life, feeling positive, having realistic hopes

and goals).

Supporting Definition: Covering Mental, Physical and Social Functioning outcomes.

Inclusion Criteria: Patients seeking support for their alcohol and/or substance use disorder

Timing: All time points

Data Source: Patient-reported

Type: Single answer

Response Options: o = Not important

1 = A little important2 = Important3 = Very important

The NHS Treatment Outcomes Profile for Substance Misuse - Section 1 (TOP-S1)* with the proposed additional questions (TOP-S1-EXTRA)

	rd the average amount on a u	ising day and numb	_		-		
		Average	Week 4	Week 3	Week 2	Week 1	Total
	lcohol	units/day	0-7	0-7	0-7	0-7	0-28
	piates/opioids*	g/day	0-7	0-7	0-7	0-7	0-28
: Ci	rack	g/day	0-7	0-7	0-7	0-7	0-28
_	ocaine	g/day	0-7	0-7	0-7	0-7	0-28
	mphetamines	g/day	0-7	0-7	0-7	0-7	0-28
	annabis	spliff/day	0-7	0-7	0-7	0-7	0-28
٠.	ther substance?	g/day	0-7	0-7	0-7	0-7	0-28
(r	name)			des street heroin and d, such as methadone		
To	obacco	cig/day	0-7	0-7	0-7	0-7	0-28
)ecc	rd the average number of ho	urs enent demina e	nd number of	f dave played	in each of nac	t four wools	
	ra are average number of no	Average	Week 4	Week 3	Week 2	Week 1	Total
Ga	ming	hrs/day	0-7	0-7	0-7	0-7	0-28
	_						
Reco	rd the number of days gambl	ed on each of the fo	_	-			
Offlin	e (real-world) gambling:		Week 4	Week 3	Week 2	Week 1	Total
	Electronic gaming mac (e.g., slots/pokies, blackjack	hines k, poker, Keno)	0-7	0-7	0-7	0-7	0-28
	Horses and sports wag	ering	0-7	0-7	0-7	0-7	0-28
	Casino table games		0-7	0-7	0-7	0-7	0-28
n	Lotteries (including scratc	h cards)	0-7	0-7	0-7	0-7	0-28
1	eSports		0-7	0-7	0-7	0-7	0-28
)	Bingo		0-7	0-7	0-7	0-7	0-28
)	Other?	1	0-7	0-7	0-7	0-7	0-28
nlin	(name e gambling:)	Week 4	Week 3	Week 2	Week 1	Total
	Wagering		0-7	0-7	0-7	0-7	0-28
l	Casino table games		0-7	0-7	0-7	0-7	0-28
	Slots/roulette/blackjac	k	0-7	0-7	0-7	0-7	0-28
	Skins		0-7	0-7	0-7	0-7	0-28
					\rightarrow	=	
; ;	Other?		0-7	() 0–7	() 0-7	() 0–7	() 0–28

^{*} Suggested wording changes at question 2 (removed "(illicit)") and 7 (removed "problem").

Working Group Member Conflicts of Interests

At the beginning of the Working Group process, we ask all Working Group members to declare any conflicts of interests they have. We then circulate these within the Group to ensure transparency.

Name	Affiliation	Declarations
Aramrattana, Apinun	Chiang Mai University, Thailand	None declared.
Assanangkornchai, Sawitri	Prince of Songkla University, Thailand	None declared.
Black, Nicola	National Drug and Alcohol Research Centre, Australia	None declared.
Blaszczynski, Alexander	University of Sydney, Faculty of Science, Brain and Mind Centre, School of Psychology, Australia	None declared.
Bowden-Jones, Henrietta	University College London, United Kingdom	Director of the National Problem Gambling Clinic which receives funds from the National Health Service and from GambleAware and Director of the National Centre for Gaming Disorders which is funded by National Health Service.
Brown, Adrian	Central and North West London Trust, United Kingdom	Personal fees: Kyowa Kirin. Honorarium: British Association for the Study of the Liver (BASL).
Brown, Qiana L.	Rutgers University School of Social Work and School of Public Health, United States	Funding: National Center for Advancing Translational Sciences (NCATS) grant KL2TR003018. NCATS is a component of the National Institutes of Health (NIH). The content in this publication does not necessarily represent the official views of the NIH. Advisory Board: Founder and member of the Board of Directors at Jane's House of Inspiration, a community-based substance abuse treatment center.
Cottler, Linda B.	University of Florida, United States	Grant: Arbor Pharmaceuticals. Co-Editor with Dr. John Saunders of Current Opinion in Psychiatry, Addictive Disorders.
Elsasser, Maury	Lived experience representative, United States	Worked as a counselor and program director in a methadone treatment program for opioid addiction who purchased methadone from Mallinckrodt Pharmaceuticals. Educated, trained, and worked as an Alcohol and Drug Counselor in abstinance-based, evidence-based, medication-based treatment models.

Name	Affiliation	Declarations	
Farrell, Michael	National Drug and Alcohol Research Centre, Australia	Grant: Indivior, Mundipharma and Seqirus. NDARC is supported by funding from the Australian Government Department of Health under the Drug and Alcohol Program.	
Ferri, Marica	European Monitoring Centre for Drugs and Drug Addiction, Europe	None declared.	
Florence, Maria	University of the Western Cape, South Africa	None declared.	
Gueorguieva, Ralitza	Yale School of Public Health, United States	Professional fees: CRC Press, Palo Alto Health Sciences, Knopp Biosciences and Mathematica Policy Research. Pending patent: Treatment selection for Major Depressive Disorder (Licensee: Chekroud, AM., Gueorguieva, R., & Krystal, JH; USPTO docket number Yoo87.70116USoo).	
Hampton, Ryan	Lived experience representative, The Voices Project, United States	None declared.	
Hudson, Suzie	Network of Alcohol and other Drugs Agencies, Australia	None declared.	
Kelly, Peter J.	School of Psychology University of Wollongong; Illawarra Health and Medical Research Institute, Australia	None declared.	
Lintzeris, Nicholas	University of Sydney; NSW Health, Australia	Advisory board member: Indivior. Advisory board member and non-financial support: Mundipharma. Grant and non-financial support: Camurus.	
Murphy, Lynette	Lived experience representative, Australia	None declared.	
Nadkarni, Abhijit	London School of Hygiene & Tropical Medicine, United Kingdom; Sangath, India	None declared.	

Name	Affiliation	Declarations	
Neale, Joanne	King's College London, United Kingdom	Grant: Mundipharma International Limited, Action on Addiction, The Alexander Mosley Charitable Trust, The Mackie Foundation and PLuS Alliance. Grant and non-financial support: Camurus AB. Professional fees and grant: NIHR Biomedical Research Centre at South London and Maudsely NHS Foundation Trust. Issued patent: Recovery PROM (SURE) (Licensee: King's College London) and Sleep PROM (SUSS) (Licensee: King's College London). Pending patent: Recovery APP (Licensee: King's College London). Collaborator on the development of another PROM.	
Rosen, Daniel	University of Pittsburgh School of Social Work, United States	Personal fees: Wellbridge Health. The Founder of Wellbridge Health, a telehealth care management company. The company is privately held, Daniel does not have a paid position, neither sit on the Board of Directors, but he has a small equity stake in the company. Received a conflict of interest waiver from his university and the company does not focus on substance abuse.	
Rumpf, Hans-Jürgen	Universität zu Lübeck, Germany	None declared.	
Rush, Brian	Centre for Addiction and Mental Health, Canada	Personal fees: Homewood Research Institute.	
Segal, Gabriel	King's College London, United Kingdom	None declared.	
Shorter, Gillian W.	School of Psychology, Queen's University Belfast; Institute of Mental Health Sciences, Ulster University, United Kingdom	Grant: Alcohol Research UK, Project Manager for the Outcome Reporting in Brief Intervention Trials on Alcohol, a project to develop a core outcome set for effectiveness and efficacy trials of alcohol brief interventions, supported by International Network on Brief Interventions for Alcohol and Drugs (INEBRIA). Entity: Expert Advisor to the Institute for Alcohol Studies, UK.	
Torrens, Marta	Hospital del Mar; Universitat Autònoma de Barcelona, Spain	Advisory board member: Gilead, Merck Sharp & Dohme Corp, Indivior. Personal fees: Adamet, Lundbeck.	

Name	Affiliation	Declarations	
van den Brink, Wim	Amsterdam University Medical Centers, location Academic Medical Center, Department of Psychiatry, Netherlands	Personal fees: Opiant Inc, D&A Pharmaceuticals, Bioproject, Novartis, Lundbeck, Indivior, Ricordati, Janssen, Takeda and Angelini.	
Wait, Christopher	Lived experience representative, Build on Belief, United Kingdom	None declared.	

ICHOM Contact Information

Website	http://www.ichom.org	
	United States Office	
	399 Boylston St. 6th floor	
	Boston MA, 02116	
Business Address	United Kingdom Office	
	One Alfred Place,	
	1 Alfred Place, 2nd floor	
	London	
	WC1E 7EB	

Reference Guide Revisions

Reference Guide Version	Location within Reference Guide	Content Change

www.ichom.org