

## Bibliography of Key References

### Substance Use/Addiction:

- Agerwala, S. M., & McCance-Katz, E. F. (2012). Integrating screening, brief intervention, and referral to treatment (SBIRT) into clinical practice settings: a brief review. *Journal of Psychoactive Drugs, 44*(4), 307-317.
- Babor, T. F., Stenius, K., & Romelsjo, A. (2008). Alcohol and drug treatment systems in public health perspective: Mediators and moderators of population effects. *International Journal of Methods in Psychiatric Research, 17*(S1), S50-S59.
- Barker, F.S., Best, D., Manning, V., Savic, M., Lubman, D.L., Franzcp, F., & Rush, B.R. (2016). A tiered model for substance use severity and complexity: Application to needs-based planning. *Substance Abuse*. Pages 526-533 | Published online: 28 Jan 2016.
- Campbell-Heider, N., & Baird, C. (2012). Substance abuse prevention and treatment within the criminal justice system: An overview of the issues. *Journal of Addictions Nursing, 23*(1), 7-13.
- Canadian Agency for Drugs and Technologies in Health, (2013). Suboxone versus methadone for the treatment of opioid dependence: A review of the clinical and cost-effectiveness. *Rapid Response Report*. February, 2013.
- Carney, T., & Myers, B. (2012). Effectiveness of early interventions for substance-using adolescents: Findings from a systematic review and meta-analysis. *Substance Abuse Treatment, Prevention, and Policy, 7*(1), 1.
- Fachini, A., Aliane, P. P., Martinez, E. Z., & Furtado, E. F. (2012). Efficacy of brief alcohol screening intervention for college students (BASICS): a meta-analysis of randomized controlled trials. *Substance Abuse Treatment, Prevention, and Policy, 7*(1), 1.
- Field, C. A., Baird, J., Saitz, R., Caetano, R., & Monti, P. M. (2010). The mixed evidence for brief intervention in emergency departments, trauma care centers, and inpatient hospital settings: What should we do?. *Alcoholism: Clinical and Experimental Research, 34*(12), 2004-2010.
- Gastfriend, D. R. (2004). *Addiction treatment matching: research foundations of the American Society of Addiction Medicine (ASAM) Criteria* (Vol. 22): Haworth Press.
- Gastfriend, D. R., & Mee-Lee, D. (2004). The ASAM patient placement criteria: context, concepts and continuing development. *Journal of Addictive Diseases, 22* (1).
- Gebara, C. F., de Castro Bhone, F. M., Ronzani, T. M., Lourenço, L. M., & Noto, A. R. (2013). Brief intervention and decrease of alcohol consumption among women: A systematic review. *Substance Abuse Treatment, Prevention, and Policy, 8*(1), 1.
- Gerrity, M., Williams, J., Dobscha, S., Deveau, J., Holsinger, T., Gaynes, B. et al. (2004). Improving depression care: Systematic review of multifaceted interventions in primary care settings. *Journal of General Internal Medicine, 19*(1), 166-166.
- Gilbody, S., Sheldon, T., & House, A. (2008). Screening and case-finding instruments for depression: a Meta-analysis. *Canadian Medical Association Journal, 178*(8), 997-1003.
- Gowing, L., Ali, R., Dunlop, A., Farrell, M., & Lintzeris, N. (April, 2014). *National guidelines for medication-assisted treatment of opioid dependence*. ISBN: 978-1-74241-944-2. Commonwealth of Australia.
- Hedrich, D., Alves, P., Farrell, M., Stöver, H., Møller, L., & Mayet, S. (2012). The effectiveness of opioid

- maintenance treatment in prison settings: A systematic review. *Addiction*, 107(3), 501-517.
- Johnson, M., Jackson, R., Guillaume, L., Meier, P., & Goyder, E. (2011). Barriers and facilitators to implementing screening and brief intervention for alcohol misuse: A systematic review of qualitative evidence. *Journal of Public Health*, 33(3), 412-421.
- Kaner, E. F., Dickinson, H. O., Beyer, F., Pienaar, E., Schlesinger, C., Campbell, F. et al. Heather, N. (2009). The effectiveness of brief alcohol interventions in primary care settings: A systematic review. *Drug and Alcohol Review*, 28(3), 301-323.
- Kinoshita, Y., Furukawa, T. A., Kinoshita, K., Honyashiki, M., Omori, I. M., Marshall, M., & Kingdon, D. (2013). Supported employment for adults with severe mental illness. *The Cochrane Library*.
- Martin, G. W., & Rehm, J. (2012). The effectiveness of psychosocial modalities in the treatment of alcohol problems in adults: A review of the evidence. *Canadian Journal of Psychiatry*, 57(6), 350-358.
- Martin, G. W., Koski-Jannes, A., & Weber, T. R. (2009). Rethinking the role of residential treatment for individuals with substance abuse problems. *Canadian Journal of Community Mental Health*, 17(1), 61-77.
- McCarty, D., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Substance abuse intensive outpatient programs: Assessing the evidence. *Psychiatric Services*, 65(6):718-26.
- McKay, J. R. (2005). Is there a case for extended interventions for alcohol and drug use disorders? *Addiction*, 100(11), 1594-1610.
- McLellan, A. T., Lewis, D. C., O'Brien, C. P., & Kleber, H. D. (2000). Drug dependence, a chronic medical illness: Implications for treatment, insurance, and outcomes evaluation. *Journal of the American Medical Association*, 284(13), 1689-1695.
- Mdege, N. D., Fayter, D., Watson, J. M., Stirk, L., Sowden, A., & Godfrey, C. (2013). Interventions for reducing alcohol consumption among general hospital inpatient heavy alcohol users: A systematic review. *Drug and Alcohol Dependence*, 131(1-2), 1-22.
- Moore, B. A., Fazzino, T., Garnet, B., Cutter, C. J., & Barry, D. T. (2011). Computer-based interventions for drug use disorders: A systematic review. *Journal of Substance Abuse Treatment*, 40(3), 215-223.
- National Treatment Agency for Substance Misuse. (2012). *Drug treatment 2012: Progress made, challenges ahead*. Available at [http://www.nta.nhs.uk/uploads/commentaryfinal\[0\].pdf](http://www.nta.nhs.uk/uploads/commentaryfinal[0].pdf)
- Newton, A. S., Gokiert, R., Mabood, N., Ata, N., Dong, K., Ali, S., ... & Wild, T. C. (2011). Instruments to detect alcohol and other drug misuse in the emergency department: a systematic review. *Pediatrics*, peds-2010.
- Nilsen, P., Aalto, M., Bendtsen, P., & Seppä, K. (2006). Effectiveness of strategies to implement brief alcohol intervention in primary healthcare: A systematic review. *Scandinavian Journal of Primary Health Care*, 24(1), 5-15.
- O'Donnell, A., Anderson, P., Newbury-Birch, D., Schulte, B., Schmidt, C., Reimer, J., & Kaner, E. (2014). The impact of brief alcohol interventions in primary healthcare: A systematic review of reviews. *Alcohol and Alcoholism*, 49(1), 66-78.
- Pilowsky, D. J., & Wu, L. T. (2013). Screening instruments for substance use and brief interventions targeting adolescents in primary care: A literature review. *Addictive Behaviors*, 38(5), 2146-2153.

- Rehm, J. (2008). Key future research questions on mediators and moderators of behaviour change processes for substance abuse. *International Journal on Methods in Psychiatric Research Res*, 17 Suppl 1, S83-87.
- Reif, S., George, P., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Residential treatment for individuals with substance use disorders: Assessing the evidence. *Psychiatric Services*, 65(3), 301-312.
- Ritter, A., Chalmers, J., & Sunderland, M. (2013). *Estimating need and demand for treatment: a background briefing: Working paper 1: Review of AOD prevention and treatment services*. Sydney, Drug Policy Modelling Program, National Drug and Alcohol Research Centre, University of New South Wales.
- Room, R., Babor, T., Rehm, J. (2005). Alcohol and public health. *Lancet*, 365, 519-30.
- Rush, B. (2010). Tiered frameworks for planning substance use service delivery systems: origins and key principles. *Nordic Studies on Alcohol and Drugs*, 27(6), 617-636.
- Rush, B.R., Castel, S, Brands, B., Toneatto, T. & Veldhuizen, S. (2013). Validation and comparison of diagnostic accuracy of four screening tools for mental disorders in people with substance use disorders. *Journal of Substance Abuse Treatment*. 44 (4), 375-83.
- Rush, B., Tremblay, J., Fougere, C., Behrooz, R., Perez, W., & Fineczko, J. (2014). *Development of a needs-based planning model of substance use services and supports in Canada*. Ontario, Canada: Centre for Addiction and Mental Health.
- Rush, B. R. (2008) On the screening and assessment of mental disorders among clients seeking help from specialized substance abuse treatment services: An international symposium. (Editorial). *International Journal of Mental Health and Addiction*. 6, 1-6.
- Rush, B.R. (2015). Addiction assessment and treatment planning in developed countries. In el-Guebaly N, Carrà G, Galanter M (Eds). *Textbook of addiction treatment: International perspectives*, Springer Milan Heidelberg New York Dordrecht London.
- Seigers, D. K., & Carey, K. B. (2010). Screening and brief interventions for alcohol use in college health centers: A review. *Journal of American College Health*, 59(3), 151-158.
- Strang, J., Babor, T., Caulkins, J., Fischer, B., Foxcroft, D., & Humphreys, K. (2012). Drug policy and the public good: Evidence for effective interventions. *The Lancet*, 379(9810), 71-83.
- Substance Abuse and Mental health Administration. (2013), Systems-level implementation of screening, brief intervention and referral to treatment. *Technical Assistance Publication Series (TAP 13)*. HHS Publication Nop. (SMA). 13-4741, Substance Abuse and Mental Health Services Administration. Rockville, MD.
- Tanner-Smith, E. E., Wilson, S. J., & Lipsey, M. W. (2013). The comparative effectiveness of outpatient treatment for adolescent substance abuse: A meta-analysis. *Journal of Substance Abuse Treatment*, 44(2), 145-158.
- Thombs, B. D., & Ziegelstein, R. C. (2014). Does depression screening improve depression outcomes in primary care? *British Medical Journal (Clinical Research ed.)*, 348, g1253.
- Tsogia, A. C., Jim Orford, Dorothea. (2001). Entering treatment for substance misuse: A review of the literature. *Journal of Mental Health*, 10(5), 481-499.
- Van der Voort, T. Y. G., Goossens, P. J. J., & Van Der Bijl, J. J. (2007). Burden, coping and needs for support of caregivers for patients with a bipolar disorder: A systematic review. *Journal of*

- Psychiatric and Mental Health Nursing*, 14(7), 679-687.
- Vancouver Coastal Health Authority (2015). *A guideline for the clinical management of opioid addiction*. B.C. Vancouver Coastal Health Authority.
- Wachtel, T., & Staniford, M. (2010). The effectiveness of brief interventions in the clinical setting in reducing alcohol misuse and binge drinking in adolescents: A critical review of the literature. *Journal of Clinical Nursing*, 19(5-6), 605-620.
- White, W. L. (2012). *Recovery/remission from substance use disorders: An analysis of reported outcomes in 415 scientific reports, 1868-2011*. Philadelphia, PA: Philadelphia Department of Behavioral Health and Intellectual Disability Services.
- Wild, T. C., Roberts, A. B., & Cooper, E. L. (2002). Compulsory substance abuse treatment: An overview of recent findings and issues. *European Addiction Research*, 8(2), 84-93.
- Williams, E. C., Johnson, M. L., Lapham, G. T., Caldeiro, R. M., Chew, L., Fletcher, G. S., et al. (2011). Strategies to implement alcohol screening and brief intervention in primary care settings: A structured literature review. *Psychology of Addictive Behaviors*, 25(2), 206.
- World Health Organization (2016). *International standards for the treatment of drug use disorders*. Geneva: World Health Organization and United Nations Office on Drugs and Crime.
- Yuma-Guerrero, P. J., Lawson, K. A., Velasquez, M. M., von Sternberg, K., Maxson, T., & Garcia, N. (2012). Screening, brief intervention, and referral for alcohol use in adolescents: A systematic review. *Pediatrics*, 130(1), 115-122.

## **Mental Health**

- Ali, K., Farrer, L., Gulliver, A., & Griffiths, K. M. (2015). Online peer-to-peer support for young people with mental health problems: a systematic review. *JMIR Mental Health*, 2(2).
- Bartels, S. J., Dums, A. R., Oxman, T. E., Schneider, L. S., Arean, P. A., Alexopoulos, G. S., & Jeste, D. V. (2003). Evidence-based practices in geriatric mental health care: an overview of systematic reviews and meta-analyses. *Psychiatric Clinics of North America*, 26(4), 971-990, x-xi.
- Bartlett, A., Jhanji, E., White, S., Anne Harty, M., Scammell, J., & Allen, S. (2015). Interventions with women offenders: a systematic review and meta-analysis of mental health gain. *The Journal of Forensic Psychiatry & Psychology*, 26(2), 133-165.
- BinDhim, N. F., Hawkey, A., & Trevena, L. (2015). A systematic review of quality assessment methods for smartphone health apps. *Telemedicine and e-Health*, 21(2), 97-104.
- Bird, V., Premkumar, P., Kendall, T., Whittington, C., Mitchell, J., & Kuipers, E. (2010). Early intervention services, cognitive-behavioural therapy and family intervention in early psychosis: systematic review. *The British Journal of Psychiatry*, 197(5), 350-356.
- Bond, G. R. (2002). *Assertive Community Treatment for People with Severe Mental Illness*. Indianapolis, IN: *Behavioral Health Recovery Management Project*
- Bond, G. R., & Drake, R. E. (2014). Making the case for IPS supported employment. *Administration and Policy in Mental Health and Mental Health Services Research*, 41(1), 69-73.
- Burns, B. J., & Santos, A. B. (1995). Assertive community treatment: An update of randomized trials. *Psychiatric Services*, 46(7), 669-675.

- Burns, T., Catty, J., Dash, M., Roberts, C., Lockwood, A., & Marshall, M. (2007). Use of intensive case management to reduce time in hospital in people with severe mental illness: Systematic review and meta-regression. *British Medical Journal*, *335*(7615), 336.
- Campbell, K., Bond, G. R., & Drake, R. E. (2011). Who benefits from supported employment: a meta-analytic study. *Schizophrenia bulletin*, *37*(2), 370-380.
- Canadian Task Force on Preventive Health Care. Retrieved June 28, 2013, from <http://canadiantaskforce.ca/>
- Chinman, M., George, P., Dougherty, R. H., Daniels, A. S., Ghose, S. S., Swift, A., & Delphin-Rittmon, M. E. (2014). Peer support services for individuals with serious mental illnesses: Assessing the evidence. *Psychiatric Services*, *65*(4), 429-441.
- Clark, H.B., Koroloff, N., Geller, J., & Sondheimer, D. L. (2008). Research on transition to adulthood: Building the evidence base to inform services and supports for youth and young adults with serious mental health disorders. *The Journal of Behavioral Health Services and Research*, *35*(4), 365-372.
- Coldwell, C. M., & Bender, W. S. (2007). The effectiveness of assertive community treatment for homeless populations with severe mental illness: A meta-analysis. *American Journal of Psychiatry*, *164*(3), 393-399.
- Compton, M. T., Badora, M., Watson, A. C., & Oliva, J. R. (2008). A comprehensive review of extant research on crisis intervention team (CIT) programs. *Journal of the American Academy of Psychiatry and the Law Online*, *36*(1), 47-55.
- Davidson, S., Freeland, A., & Karen, T. (2012). *Improving the quality of care and patient safety for transitional youth and young adults: Transitional youth pilot project: Final report*. Ontario: Champlain Local Health Integrated Network.
- Davidson, L., Bellamy, C., Guy, K., & Miller, R. (2012). Peer support among persons with severe mental illnesses: a review of evidence and experience. *World Psychiatry*, *11*(2), 123-128.
- de Vet, R., van Lijstelaar, M. J., Brilleslijper-Kater, S. N., Vanderplasschen, W., Beijersbergen, M. D., & Wolf, J. R. (2013). Effectiveness of case management for homeless persons: a systematic review. *American Journal of Public Health*, *103*(10), e13-26. doi: 10.2105/ajph.2013.301491
- Deenadayalan, Y., Kumar, S., Machotka, Z., & Perraton, L. (2010). Day therapy programs for adolescents with mental health problems: A systematic review. *Internet Journal of Allied Health Sciences and Practice*, *8*(1), 6.
- Dieterich, M., Irving, C. B., Park, B., & Marshall, M. (2011). Intensive case management for severe mental illness. *The Cochrane Library*.
- Embrett, M. G., Randall, G. E., Longo, C. J., Nguyen, T., & Mulvale, G. (2016). Effectiveness of health system services and programs for youth to adult transitions in mental health care: A systematic review of academic literature. *Administration and Policy in Mental Health and Mental Health Services Research*, *43*(2), 259-269.
- Leavey, J. E., Flexhaug, M., & Ehmann, T. (2008). Review of the literature regarding early intervention for children and adolescents aged 0–15 experiencing a first-episode psychiatric disturbance. *Early Intervention in Psychiatry*, *2*(4), 212-224.
- Marshall, M., Crowther, R., Almaraz-Serrano, A., Creed, F., Sledge, W., Kluiters, H. et al. (2001). *Systematic reviews of the effectiveness of day care for people with severe mental disorders:(1)*

*acute day hospital versus admission;(2) vocational rehabilitation;(3) day hospital versus outpatient care: Health Technology Assessment Programme.*

- Marshall, M., Lewis, S., Lockwood, A., Drake, R., Jones, P., & Croudace, T. (2005). Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: A systematic review. *Archives of General Psychiatry*, 62(9), 975-983.
- Marshall, T., Goldberg, R. W., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., et al. Delphin-Rittmon, M. E. (2014). Supported employment: assessing the evidence. *Psychiatric Services*, 65(1), 16-23.
- Marshall, M., & Lockwood, A. (2011). Assertive community treatment for people with severe mental disorders. *The Cochrane Library*.
- Mueser, K. T., Bond, G. R., Drake, R. E., & Resnick, S. G. (1998). Models of community care for severe mental illness: A review of research on case management. *Schizophrenia bulletin*, 24(1), 37-74.
- Munoz-Solomando, A., Townley, M., & Williams, R. (2010). Improving transitions for young people who move from child and adolescent mental health services to mental health services for adults: Lessons from research and young people's and practitioners' experiences. *Current Opinion in Psychiatry*, 23(4), 311-317.
- National Institute for Health and Care Excellence (NICE). (2011). Common mental health problems: Identification and pathways to care. Clinical guideline Published: 25 May 2011. [nice.org.uk/guidance/cg123](http://nice.org.uk/guidance/cg123)
- O'Connor, E. A., Whitlock, E. P., Beil, T. L., & Gaynes, B. N. (2009). Screening for depression in adult patients in primary care settings: A systematic evidence review. *Annals of Internal Medicine*, 151(11), 793-803.
- Paton, F., Wright, K., Ayre, N., Dare, C., Johnson, S., Lloyd-Evans, B. et al. (2016). Improving outcomes for people in mental health crisis: A rapid synthesis of the evidence for available models of care. *Health Technology Assessment*, 23(1), 1-162.
- Penn, D. L., Waldheter, E. J., Perkins, D. O., Mueser, K. T., & Lieberman, J. A. (2005). Psychosocial treatment for first-episode psychosis: A research update. *American Journal of Psychiatry*, 162(12), 2220-2220.
- Reed, S. I. (2008). First-episode psychosis: A literature review. *International Journal of Mental Health Nursing*, 17(2), 85-91.
- Reif, S., George, P., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Recovery housing: Assessing the evidence. *Psychiatric Services*, 65(3), 295-300.
- Reif, S., George, P., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Residential treatment for individuals with substance use disorders: assessing the evidence. *Psychiatric Services*, 65(3), 301-312.
- Repper, J., & Carter, T. (2011). A review of the literature on peer support in mental health services. *Journal of Mental Health*, 20(4), 392-411.
- Rog, D. J., Marshall, T., Dougherty, R. H., George, P., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Permanent supportive housing: assessing the evidence. *Psychiatric Services*, 65(3), 287-294.
- Rosen, A. (2007). Assertive community treatment-Issues from scientific and clinical literature with implications for practice. *Journal of Rehabilitation Research and Development*, 44(6), 813.

- Spittal, M. J., Fedyszyn, I., Middleton, A., Bassilios, B., Gunn, J., Woodward, A., & Pirkis, J. (2015). Frequent callers to crisis helplines: Who are they and why do they call? *Australian and New Zealand Journal of Psychiatry*, 49(1), 54-64.
- Solomon, P. (2004). Peer support/peer provided services underlying processes, benefits, and critical ingredients. *Psychiatric Rehabilitation Journal*, 27(4), 392.
- Stafford, M. R., Jackson, H., Mayo-Wilson, E., Morrison, A. P., & Kendall, T. (2013). Early interventions to prevent psychosis: Systematic review and meta-analysis. *British Medical Journal*, 346. F185.
- Sunderji, N., de Bibiana, J. T., & Stergiopoulos, V. (2015). Urgent psychiatric services: A scoping review. *The Canadian Journal of Psychiatry*, 60(9), 393-402.
- Thompson, E., Millman, Z. B., Okuzawa, N., Mittal, V., DeVlyder, J., Skadberg, T., et al. (2015). Evidence-based early interventions for individuals at clinical high risk for psychosis: A review of treatment components. *Journal of Nervous and Mental Disease*, 203(5), 342-351.
- Thornicroft, G., & Tansella, M. (1999). *The Mental Health Matrix. A manual to improve services*. Cambridge University Press.
- U.S Department of Health and Human Services. (2012). *Assertive Community Treatment (ACT): Evidence-Based Practice Kit*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Vitaliano, P. P., Zhang, J., & Scanlan, J. M. (2003). Is caregiving hazardous to one's physical health? A meta-analysis. *Psychological Bulletin*, 129(6), 946.

### **Concurrent Disorders:**

- Adair, C. E. (2009). *Concurrent substance use and mental disorders in adolescents: A review of the literature on current science and practice*: The Alberta Centre for Child Family and Community Research.
- Canadian Centre on Substance Use and Addiction. (2009). *Substance abuse in Canada: Concurrent disorders*. Ottawa, ON: Canadian Centre on Substance Abuse.
- Canadian Institute for Health Information. (2013). *Hospital mental health services for concurrent mental illness and substance use disorders in Canada*. Ottawa, ON: Canadian Institute for Health Information.
- Center for Addiction and Mental Health, CAMH. (2008). *Improving our response to older adults with substance use, mental health and gambling problems: A guide for supervisors, managers and clinical staff*. Toronto, ON: Centre for Addiction and Mental Health.
- Health Canada. (2001). *Best practice for concurrent mental health and substance use disorders*. Ottawa, ON.
- Koegl, C., & Rush, B.R (2011). Predictors of mismatched community mental health care among persons with co-occurring substance use and mental disorders, *Mental Health and Substance Use*, 4(4), 270-276.
- Koegl, C., & Rush, B.R. (2012). Need and use of services by persons with co-occurring disorders within a community mental health system. *Mental Health and Substance Use*, 5(1), 4-19.
- Rush, B.R. & Nadeau, L. (2011). On the integration of mental health and substance use services and systems. In Cooper, D. (Ed.) *Responding in Mental Health-Substance Use* □□ Book 3, Chapter 13.

Mental Health-Substance Use Book Series: Radcliffe Publishing Ltd., Oxford UK, pp. 148-175.  
Substance Abuse and Mental Health Services Administration. (2011). *Description of a good and modern addictions and mental health service system*. Available at [http://www.samhsa.gov/sites/default/files/good\\_and\\_modern\\_4\\_18\\_2011\\_508.pdf](http://www.samhsa.gov/sites/default/files/good_and_modern_4_18_2011_508.pdf)

## Collaboration

- Blanchette-Martin, N., Tremblay, J., Danielson, M., & Rush, B. R. (2015). Co-location of liaison nurses in addiction in three Quebec emergency departments: Portrait of services, patients, and treatment trajectories. *Canadian Journal of Addiction*.
- Chalk, M., Dilonardo, J., & Gelber Rinaldo, S. (2011). *Purchasing integrated services for substance use conditions in health care settings: An issue brief on lessons learned and challenges ahead*. Paper presented at the Forum on Integration: A Collaborative for States.
- Druss, B. G., & Mauer, B. J. (2010). Health care reform and care at the behavioral health—primary care interface. *Psychiatric Services*, 61(11), 1087-92.
- Foy, R., Hempel, S., Rubenstein, L., Suttorp, M., Seelig, M., Shanman, R., & Shekelle, P. G. (2010). Meta-analysis: Effect of interactive communication between collaborating primary care physicians and specialists. *Annals of Internal Medicine*, 152(4), 247-258.
- Kates, N., Mazowita, G., Lemire, F., Jayabarathan, A., Bland, R., Selby, P. et al. (2011). The evolution of collaborative mental health care in Canada: A shared vision for the future. *Canadian Journal of Psychiatry*, 56(5), 11.
- Provincial and Territorial Working Group on Mental Health and Substance. (2016). *Towards integrated primary and community mental health and substance use care for youth and adults: A compendium of current Canadian initiatives and emerging best practices*.
- RAND Europe, & Young, E. (2012). National evaluation of the Department of Health's Integrated Care pilots. *Cambridge: RAND Europe*.
- Reimer, R., Rush, B., & Bland, R. (2013). *Achieving collaboration: System level support and actions*. Paper presented at the meeting on collaboration: Canadian Center on Substance Use, Ottawa.
- Rush, B. & Saini, B. (2016). *Review of coordinated/centralized access mechanisms: Evidence, current state, and implications*. Report prepared for the Ontario Ministry of Health and Long-Term Care. Available at <http://www.addictionsandmentalhealthontario.ca/coordinated--centralized-access.html>
- Rush, B. R., & Reist, D. (2013). *Collaborative mental health and addiction service delivery: Introduction and background*. Centre for Addiction and Mental Health. Toronto, ON.
- Substance Abuse and Mental Health Services Administration (2013). *Integrating behavioral health and primary care for children and youth: Concepts and strategies*. SAMHSA- HSRA Centre for Integrated Health Solutions. Washington, DC.

## Internet/Mobile

Cunningham, J. A., Khadjesari, Z., Bewick, B. M., & Riper, H. (2010). Internet-based interventions for



- problem drinkers: From efficacy trials to implementation. *Drug and Alcohol Review*, 29(6), 617-622.
- Ekeland, A. G., Bowes, A., & Flottorp, S. (2010). Effectiveness of telemedicine: A systematic review of reviews. *International Journal of Medical Informatics*, 79(11), 736-771.
- Khadjesari, Z., Murray, E., Hewitt, C., Hartley, S., & Godfrey, C. (2011). Can stand-alone computer-based interventions reduce alcohol consumption? A systematic review. *Addiction*, 106(2), 267-282.
- Luxton, D. D., Pruitt, L. D., & Osenbach, J. E. (2014). Best practices for remote psychological assessment via telehealth technologies. *Professional Psychology: Research and Practice*, 45(1), 27.
- Mair, F., & Whitten, P. (2000). Systematic review of studies of patient satisfaction with telemedicine. *British Medical Journal*, 320(7248), 1517-1520.
- Mistry, H. (2012). Systematic review of studies of the cost-effectiveness of telemedicine and telecare. Changes in the economic evidence over twenty years. *Journal of Telemedicine and Telecare*, 18(1), 1-6.
- Shen, N., Levitan, M. J., Johnson, A., Bender, J. L., Hamilton-Page, M., Jadad, A. A. R., & Wiljer, D. (2015). Finding a depression app: A review and content analysis of the depression app marketplace. *JMIR mHealth and uHealth*, 3(1), e16.

### **Evaluation/Performance Measures**

- Adair, C.E., Simpson, E., Casebeer, A.L., Birdsell, J.M., Hayden, K.A. & Lewis, S. (2006). Performance measurement in healthcare: Part II – State of the science findings by stage of the performance measurement process. *HealthCare Policy*, July 2(1), 56-78.
- American Psychiatric Association Steering Committee on Practice Guidelines. (2006). Practice guideline for the psychiatric evaluation of adults (2<sup>nd</sup> Edition). American Psychiatric Association.
- Chouinard, J. A., & Cousins, J. B. (2007). Culturally competent evaluation for Aboriginal communities: A review of the empirical literature. *Journal of Multi-Disciplinary Evaluation*, 4(8), 40-57.
- Costello, M.J., Ropp, C., Sousa, S., Woo, W., Vedelago, H., & Rush, B.R. (2016). The development and implementation of an outcome monitoring system for an inpatient addiction treatment program in Ontario: Lessons learned. *Canadian Journal of Addiction*. Sept.Vol.7 (3),15-24.
- Doyle, C., Lennox, L., & Bell, D. (2013). A systematic review of evidence on the links between patient experience and clinical safety and effectiveness. *BMJ open*, 3(1), e001570.
- Pascoe, R. V., Rush, B., & Rotondi, N. K. (2013). Wait times for publicly funded addiction and problem gambling treatment agencies in Ontario, Canada. *BMC Health Services Research*, 13:483, 19 November. doi:0.1186/1472-6963-13-483.
- Rotondi, N., & Rush, B. (2012). Monitoring utilization of a large scale addiction treatment system: The Drug and Alcohol Treatment Information System (DATIS). *Substance Abuse: Research and Treatment*, 6, 73-84.
- Rush, B.R. (2004). Evaluation of treatment services and systems for psychoactive substance use disorders. *Journal of Psychiatry of Rio Grande do Sul*, 25(3), 393-411.
- Rush, B., Corea, L., & Martin, G. (2009). Monitoring alcohol and other Drug treatment: What would an optimal System look like? *Contemporary Drug Problems*, 36(3-4), 545-574.
- Rush, B., Martin, G., Corea, L., & Rotondi, N. K. (2012). Engaging stakeholders in review and

recommendations for models of outcome monitoring for substance abuse treatment. *Substance Use and Misuse*, 47(12), 1293-1302.

Rush, B.R. (2014) Alternative models and measures for evaluating collaboration among substance use services with mental health, primary care and other services and sectors. *Nordic Studies on Alcohol and Drugs*. 31, 27-44.

Rush, B.R., Chau, N., Rotondi, N.K., Tan, F., & Dutfurth, E. (2016). Recovery monitoring for substance abuse treatment in Ontario: Outcome results from a feasibility assessment. *Canadian Journal of Addiction*, Sept. Vol. 7 (3), 5-14.

### **Prevalence Studies and Help-Seeking**

Fazel, S., & Danesh, J. (2002). Serious mental disorder in 23 000 prisoners: A systematic review of 62 surveys. *The Lancet*, 359(9306), 545-550.

Fazel, S., & Baillargeon, J. (2011). The health of prisoners. *Lancet*, 377(9769), 956-965. doi: 10.1016/s0140-6736(10)61053-7

Fazel, S., Bains, P., & Doll, H. (2006). Substance abuse and dependence in prisoners: A systematic review. *Addiction*, 101(2), 181-191.

Fischer, B., Lusted, A., Roerecke, M., Taylor, B., & Rehm, J. (2012). The prevalence of mental health and pain symptoms in general population samples reporting nonmedical use of prescription opioids: A systematic review and meta-analysis. *The Journal of Pain*, 13(11), 1029-1044.

Goldner, E. M., Lusted, A., Roerecke, M., Rehm, J., & Fischer, B. (2014). Prevalence of Axis-1 psychiatric (with focus on depression and anxiety) disorder and symptomatology among non-medical prescription opioid users in substance use treatment: systematic review and meta-analyses. *Addictive behaviors*, 39(3), 520-531.

Kohn, R., Saxena, S., Levav, I., & Saraceno, B. (2004). The treatment gap in mental health care. *Bulletin of the World health Organization*, 82(11), 858-866.

Rush, B.R. & Koegl, C. (2008) Prevalence and profile of people with co-occurring mental and substance use disorders within a comprehensive mental health system. *Canadian Journal of Psychiatry*, 53(12), 810-821.

Rush, B.R., Bassani, D., Urbanoski, K., & Castel, S. (2008). Influence of co-occurring mental and substance use disorders on the prevalence of problem gambling in Canada. *Addiction*. 103 (11), 1847-1856

Rush, B.R., Urbanoski, K., Bassani, D., Castel, S., Wild, T.C., Strike, C., Kimberley, D., & Somers, J. (2008). Prevalence of co-occurring mental and substance use disorders in the Canadian population. *Canadian Journal of Psychiatry*, 53(12), 800-809. ROLE: *Co-Principal Author*.

Sirdifield, C., Gojkovic, D., Brooker, C., & Ferriter, M. (2009). A systematic review of research on the epidemiology of mental health disorders in prison populations: A summary of findings. *The Journal of Forensic Psychiatry & Psychology*, 20(S1), S78-S101.

Urbanoski, K. A., Cairney, J., Bassani, D. G., & Rush, B. R. (2008). Perceived unmet need for mental health care for Canadians with co-occurring mental and substance use disorders. *Psychiatric Services*, 59(3), 283-289.

Urbanoski, K. A., Rush, B. R., Wild, T. C., Bassani, D. G., & Castel, S. (2007). The use of mental health care services by Canadians with co-occurring substance dependence and mental disorders. *Psychiatric Services*, 58(7), 962-969.

## Implementation Science

- Durbin, J., Prendergast, P., Dewa, C., Rush, B.R., & Cooke, R.C. (2003). Mental health program monitoring: Towards simplifying a complex task. *Psychiatric Rehabilitation Journal*, 26 (3), 249-261.
- Fixsen, D. L., Naoom, S. F., Blase, K. A., & Friedman, R. M. (2005). *Implementation research: a synthesis of the literature*. Tampa, FL: University of South Florida Louis de la parte Florida Mental Health Institute. The National Implementation Research Network.
- Morisano, D., & McDonald, J. A. (2012). *Models and methods of implementation science: Applications for Ontario's Systems Improvement through Service Collaboratives (SISC)*. Toronto: Centre for Addiction and Mental Health.
- Rush, B.R. (2010) Tiered frameworks for planning substance use service delivery systems: Origins and key principles. *Nordic Studies on Alcohol and Drugs*, 27, 1- 20.